ELSEVIER

Volume 29 Issues 1–2, 5 July 2002

VIBRATIONAL SPECTROSCOPY

www.elsevier.com/locate/vibspec

# Contents

*(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; INSPEC, The Instruction to Electrical Engineers; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)*

*Special Issue: A Collection of Papers Presented at the 1ST INTERNATIONAL CONFERENCE ON ADVANCED VIBRATIONAL SPECTROSCOPY, Turku, Finland, August 19–24, 2001*

*Publisher's Note* . . . . . ix

*Preface* . . . . . 1

Impact of the optical aberrations on the line shape of Fourier-transform spectrometers
J. Genest (Ottawa, Canada) and P. Tremblay (Université Laval., Canada) . . . . . 3

PVP and azelaic acid adsorption on $\gamma$-alumina studied by FT-IR spectroscopy
I. Száraz and W. Forsling (Luleå, Sweden) . . . . . 15

Time-resolved spectroscopy of stable molecules
G. Guelachvili (Orsay, France) . . . . . 21

High resolution Fourier transform spectroscopy with the Imperial College (IC) UV-FT spectrometer, and its applications to astrophysics and atmospheric physics: a review
J.C. Pickering (London, UK) . . . . . 27

http://ChemWeb.com
The World Wide Club for the Chemical Community
http://chemweb.com/gateways/elsevier.html

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.com/locate/contentsdirect**

SCIENCE DIRECT®

Full text of this journal is available, on-line from **ScienceDirect**. Visit **www.sciencedirect.com** for more information.

FT-IR studies of cyclogermanates
M. Sitarz, M. Handke (Krakow, Poland) and H.H. Otto (Clausthal-Zellerfeld, Germany) . . . . . 45
Analysis of vibrational spectra of some new *E*- and *Z*-4-arylidene-3-isochromanones
G. Keresztury, S. Holly (Budapest, Hungary), T. Sundius (Helsinki, Finland) and T. Lóránd (Pécs, Hungary) . . . . . 53
The carbon–hydrogen stretching region of the Raman spectra of 1,6-hexanediamine: N-deuteration, ionisation and temperature effects
A.M. Amorim da Costa, M.P. M Marques and L.A.E. Batista de Carvalho (Coimbra, Portugal) . . . . . 61
Molecular orientation of new photosensitive polyesters for liquid crystal alignment
B. Chae, S.W. Lee, M. Ree and S.B. Kim (Pohang, Republic of Korea) . . . . . 69
Characterization of β-transition of poly(*tert*-butyl methacrylate) thin films by two-dimensional infrared correlation spectral analysis
H.S. Shin, Y.M. Jung, T. Chang (Pohang, Republic of Korea), Y. Ozaki (Sanda, Japan) and S.B. Kim (Pohang, Republic of Korea) . . . . . 73
Direct patterning of silver colloids by microcontact printing: possibility as SERS substrate array
H.S. Shin, H.J. Yang, Y.M. Jung and S.B. Kim (Pohang, Republic of Korea) . . . . . 79
Sensitive instrumental developments in high-resolution laser and Fourier transform spectroscopies
N. Picqué (Orsay, France) . . . . . 83
Scaling of ab initio force fields by MOLVIB
T. Sundius (Helsinki, Finland) . . . . . 89
Data acquisition and interferogram data treatment in FT-IR spectrometers
A. Simon, W. Metz and A. Keens (Ettlingen, Germany) . . . . . 97
Damaged polyethylene acetabular cups microscopy FT-IR and mechanical determinations
P. Bruni, C. Conti (Ancona, Italy), A. Corvi, M. Rocchi (Firenze, Italy) and G. Tosi (Ancona, Italy) . . . . . 103
Vibrational-infrared near-field microscopy
F. Keilmann (Martinsried, Germany) . . . . . 109
Fourier transform mid-infrared spectroscopy with attenuated total reflection (FT-IR/ATR) as a tool for the detection of *Fusarium* fungi on maize
G. Kos (Tulln, Austria), H. Lohninger (Wien, Austria) and R. Krska (Tulln, Austria) . . . . . 115
Infrared spectroscopic ellipsometry—a new tool for characterization of semiconductor heterostructures
A. Kasic, M. Schubert (Leipzig, Germany), S. Einfeldt (Raleigh, NC, USA) and D. Hommel (Bremen, Germany) . . . . . 121
UV curing of pressure sensitive adhesives studied by real-time FTIR-ATR spectroscopy
T. Scherzer, A. Tauber and R. Mehnert (Leipzig, Germany) . . . . . 125
The multivariate use of vibrational spectroscopy for chemical characterisation of chromatography media
M. Andersson and K.-G. Knuuttila (Uppsala, Sweden) . . . . . 133
Depth profiling of the conversion during the photopolymerization of acrylates using real-time FTIR-ATR spectroscopy
T. Scherzer (Leipzig, Germany) . . . . . 139
How a resonant charge transfer mechanism determines the relative intensities in the SERS spectra of 4-methylpyridine
J.F. Arenas, I. López-Tocón, S.P. Centeno, J. Soto and J.C. Otero (Málaga, Spain) . . . . . 147
Laser-induced dispersed vibration–rotation fluorescence: a new technique to study molecular states
M. Metsälä, M. Nela, S. Yang, O. Vaittinen and L. Halonen (Helsinki,, Finland) . . . . . 155
The other spectroscopy: demonstration of a new de-dispersion imaging spectrograph
W.G. Fateley, R.M. Hammaker (Manhattan, KS, USA), R.A. DeVerse (Kailua-Kona, HI, USA), R.R. Coifman and F.B. Geshwind (Hamden, CT, USA) . . . . . 163
New augmented classical least squares methods for improved quantitative spectral analyses
D.M. Haaland and D.K. Melgaard (Albuquerque, NM, USA) . . . . . 171
Laser-induced changes of silicon carbon films studied by vibrational spectroscopy
H. Hobert, H.H. Dunken, S. Urban, F. Falk and H. Stafast (Jena, Germany) . . . . . 177
Sensitive IR narrow band optimized microspectrometer
D.L. Wetzel (Manhattan, KS, USA) . . . . . 183
Interactions between polyanilines and platinum(IV) ions: vibrational spectroscopic studies
M. Hasik, C.V. Paluszkiewicz and E. Wenda (Cracow, Poland) . . . . . 191
Infrared reflection absorption and sum frequency generation spectroscopic study on the structures of the LB films of palmitoyl-L- and DL-ornithine and palmitoyl-L- and DL-lysine
K. Itoh, C. Ohe, T. Tsurumaru, S. Yasukawa, T. Yamaguchi and G. Kasuya (Tokyo, Japan) . . . . . 197
The role of electrical property derivatives in intermolecular vibrational interactions and their effects on vibrational spectra
H. Torii (Shizuoka, Japan) . . . . . 205

FTIR studies of structural effects due to boron addition in sintered silicon carbide
E. Ermer and W.S. Ptak (Kraków, Poland) . . . . . 211
Theoretical IR spectra and stability of carbamic acid complexes
M.H. Jamróz and J.Cz. Dobrowolski (Warsaw, Poland) . . . . . 217
Study of novel polymer architectures on solid surfaces by variable angle spectroscopic and imaging ellipsometry
D. Beyerlein, T. Kratzmüller and K.-J. Eichhorn (Dresden, Germany) . . . . . 223
Adsorption mechanism of 2-amino,5-nitropyrimidine on silver substrates, as detected by surface-enhanced Raman scattering
M. Muniz-Miranda (Sesto Fiorentino, Italy) . . . . . 229
Vibrational spectroscopic investigations of 5-(4-fluor-phenyl)-furan-2 carbaldehyde
T. Iliescu, F.D. Irimie (Cluj-Napoca, Romania), M. Bolboaca (Würzburg, Germany), Cs. Paisz (Cluj-Napoca, Romania) and W. Kiefer (Würzburg, Germany) . . . . . 235
Raman study of $B_2O_3$–SrO–CuO glasses
D. Maniu, T. Iliescu, I. Ardelean, R. Ciceo-Lucacel (Cluj-Napoca, Romania), M. Bolboaca and W. Kiefer (Würzburg, Germany) . . . . . 241
Confocal Raman investigations on hybrid polymer coatings
L. Baia, K. Gigant, U. Posset, R. Petry, G. Schottner, W. Kiefer and J. Popp (Würzburg, Germany) . . . . . 245
Surface enhanced Raman spectroscopy of 5-(4-fluor-phenyl)-furan-2 carbaldehide adsorbed on silver colloid
T. Iliescu, F.D. Irimie (Cluj-Napoca, Romania), M. Bolboaca (Würzburg, Germany), Cs. Paisz (Cluj-Napoca, Romania) and W. Kiefer (Würzburg, Germany) . . . . . 251
Thermally assisted nanosampling and analysis using micro-IR spectroscopy and other analytical methods
M. Reading, D. Grandy (Loughborough, UK), A. Hammiche, L. Bozec and H.M. Pollock (Lancaster, UK) . . . . . 257
Theoretical and IR-matrix isolation studies on the urea and urea-$D_4$, -$^{13}C$, and -1,3-$^{15}N_2$ substituted molecules
J. Cz. Dobrowolski J. (Chełmska, Poland and Rydygiera, Poland), R. Kołos (Kasprzaka, Poland), J. Sadlej (Chełmska, Poland and Warsaw, Poland) and A.P. Mazurek (Chełmska, Poland) . . . . . 261
Assessment of quantum cascade lasers as mid infrared light sources for measurement of aqueous samples
M. Kölhed (Stockholm, Sweden), M. Haberkorn, V. Pustogov, B. Mizaikoff, J. Frank (Vienna, Austria), B. Karlberg (Stockholm, Sweden) and B. Lendl (Vienna, Austria) . . . . . 283
A new approach to the problem of dispersive windows in infrared microspectroscopy
D.L. Wetzel (Manhattan, KS, USA) . . . . . 291

Author Index . . . . . 299